#### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently amended) A compound selected from those represented by the formula I:

Formula I

wherein:

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> are each independently chosen from hydrogen, optionally substituted alkyl, optionally substituted alkoxy, halogen, hydroxyl, nitro, cyano, dialkylamino, alkylsulfonyl, alkylsulfonamido, alkylthio, carboxyalkyl, carboxamido, aminocarbonyl, optionally substituted aryl and optionally substituted heteroaryl;

R<sup>5</sup> and R<sup>5'</sup> are each independently chosen from hydrogen, optionally substituted alkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaralkyl; or R<sup>5</sup> and R<sup>5'</sup> taken together form an optionally substituted 3- to 7-membered carbocyclic ring;

R<sup>6</sup> is hydrogen, optionally substituted alkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaryl, or optionally substituted heteroaralkyl;

R<sup>7</sup>, R<sup>8</sup>, R<sup>8</sup>, R<sup>9</sup> and R<sup>9</sup> are each independently chosen from hydrogen, optionally substituted alkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaryl, and optionally substituted heteroaralkyl;

X and Y are each independently chosen from  $C(R^{10})(R^{11})$ ,  $N(R^{12})$ , O and Sone of X and Y is  $C(R^{10})(R^{11})$ , and the other of X and Y is  $N(R^{12})$ ,

wherein R<sup>10</sup> and R<sup>11</sup> are each independently chosen from H, optionally substituted alkyl, optionally substituted aryl and optionally substituted heteroaryl; and

R<sup>12</sup> is H, optionally substituted alkyl, optionally substituted aralkyl, optionally substituted heteroaralkyl, optionally substituted alkylcarbonyl, optionally substituted arylcarbonyl, optionally substituted aralkylcarbonyl, optionally substituted aralkylcarbonyl, optionally substituted alkoxycarbonyl, optionally substituted aryloxycarbonyl, optionally substituted heteroaryloxycarbonyl, optionally substituted heteroaralkyloxycarbonyl, or optionally substituted heteroaralkyloxycarbonyl;

wherein the term "heteroaryl" means a 5 or 6 membered heteroaromatic ring containing 1-4 heteroatoms selected from O, N and S; a bicyclic 9 or 10 membered heteroaromatic ring system containing 1-4 heteroatoms selected from O, N and S; or a tricyclic 12-14 membered heteroaromatic ring system containing 1-4 heteroatoms selected from O, N and S;

including single stereoisomers and mixtures of stereoisomers thereof, and pharmaceutically acceptable salts-derivatives and solvates thereof.

# 2. (Currently amended) A compound selected from those represented by the Formula II:

Formula II

wherein:

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> are each independently chosen from hydrogen, optionally substituted alkyl, optionally substituted alkoxy, halogen, hydroxyl, nitro, cyano, dialkylamino, alkylsulfonyl, alkylsulfonamido, alkylthio, carboxyalkyl, carboxamido, aminocarbonyl, optionally substituted aryl and optionally substituted heteroaryl;

R<sup>5</sup> and R<sup>5'</sup> are each independently chosen from hydrogen, optionally substituted alkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaralkyl; or R<sup>5</sup> and R<sup>5'</sup> taken together form an optionally substituted 3- to 7-membered carbocyclic ring;

R<sup>6</sup> is hydrogen, optionally substituted alkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaryl, or optionally substituted heteroaralkyl;

R<sup>7</sup>, R<sup>8</sup>, R<sup>8</sup>, R<sup>9</sup> and R<sup>9</sup> are each independently chosen from hydrogen, optionally substituted alkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaryl, and optionally substituted heteroaralkyl;

X and Y are each independently chosen from  $C(R^{10})(R^{11})$ ,  $N(R^{12})$ , O and S Sone of X and Y is  $C(R^{10})(R^{11})$ , and the other of X and Y is  $N(R^{12})$ ,

wherein R<sup>10</sup> and R<sup>11</sup> are each independently chosen from H, optionally substituted alkyl, optionally substituted aryl and optionally substituted heteroaryl; and

R<sup>12</sup> is H, optionally substituted alkyl, optionally substituted aralkyl, optionally substituted heteroaralkyl, optionally substituted alkylcarbonyl, optionally substituted arylcarbonyl, optionally substituted aralkylcarbonyl, optionally substituted aralkylcarbonyl, optionally substituted alkoxycarbonyl, optionally substituted aryloxycarbonyl, optionally substituted heteroaryloxycarbonyl, optionally substituted heteroaralkyloxycarbonyl, or optionally substituted heteroaralkyloxycarbonyl;

T and U are independently a covalent bond, -C(O)-, or optionally substituted alkylene;

A, B, D and E are independently N, C, CH, O, S or absent, provided that: no more than one of A, B, D or E is absent; no more than two of A, B, D and E are -N=, and

A, B, D or E can be O or S only when one of A, B, D or E is absent; and provided that R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> or R<sup>4</sup> is absent where A, B, D or E, respectively, is -N=, O, S or absent;

including single stereoisomers and mixtures of stereoisomers thereof, and pharmaceutically acceptable salts<del>derivatives and solvates</del> thereof.

3. (Currently amended) A compound <u>or salt according to claim 2 wherein A, B, D</u> and E are independently chosen from -C= and -N=, T is optionally substituted C<sub>1</sub>-C<sub>4</sub> alkylene or is a covalent bond, and U is optionally substituted C<sub>1</sub>-C<sub>4</sub> alkylene or is a covalent bond.

4,5 (Canceled)

6. (Currently amended) A compound or salt according to Claim 3 wherein:

 $R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  are each independently selected from H, halogen, cyano, optionally substituted  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  haloalkyl, optionally substituted  $C_1$ - $C_4$  alkoxy, and  $C_1$ - $C_4$  haloalkoxy;

R<sup>5</sup> and R<sup>5'</sup> are each independently selected from H and C<sub>1</sub>-C<sub>4</sub> alkyl;

 $R^6$  is optionally substituted  $C_1$ - $C_8$  alkyl, optionally substituted aryl- $C_1$ - $C_4$  alkyl- or optionally substituted heteroaryl- $C_1$ - $C_4$  alkyl;

 $R^7$ ,  $R^7$ ,  $R^8$ ,  $R^8$ ,  $R^9$  and  $R^{9'}$  are each independently selected from H and C<sub>1</sub>-C<sub>4</sub> alkyl; and

one of X or Y is  $C(R^{10})(R^{14})$ , wherein  $R^{10}$  and  $R^{11}$  are each independently selected from H or and  $C_1$ - $C_4$  alkyl, and the other of X or Y is  $N(R^{12})$ , where; and  $R^{12}$  is H,  $C_1$ - $C_4$  alkyl, optionally substituted aralkyl, optionally substituted heteroaralkyl,  $C_1$ - $C_6$  alkylcarbonyl, optionally substituted aralkylcarbonyl, optionally substituted heteroarylcarbonyl, optionally substituted heteroaralkylcarbonyl, optionally substituted aralkylcarbonyl, optionally substituted aryloxycarbonyl, optionally substituted heteroaryloxycarbonyl, optionally substituted aralkyloxycarbonyl  $C_1$ - $C_6$  alkoxycarbonyl, optionally substituted aralkyloxycarbonyl  $C_1$ - $C_6$  optionally substituted heteroaralkyloxycarbonyl, where the optionally substituted aryl or heteroaryl groups or moieties are unsubstituted or substituted with one or more substituents selected from  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  haloalkyl,  $C_1$ - $C_4$  alkoxy,  $C_1$ - $C_4$  alkylamino,  $C_1$ - $C_4$  alkylamino, carboxy,  $C_1$ - $C_4$  alkylcarbonyloxy,  $C_1$ - $C_4$  alkylaminocarbonyl, carboxamido,  $C_1$ - $C_4$  alkylaminocarbonyl, cyano,  $C_1$ - $C_4$  alkylcarbonyl, halogen, hydroxyl, mercapto and nitro.

# 7-21 (Canceled)

22. (Currently amended) A compound <u>or salt according to Claim 2 wherein R<sup>5</sup> and R<sup>5</sup> are each attached to a stereogenic center having an R-configuration.</u>

23. (Canceled)

24. (Currently amended) A compound selected from:

- 3-Benzyl-7-chloro-2-[2-methyl-1-(7-oxo-[1,4]diazepan-1-yl)-propyl]-3H-quinazolin-4-one;
- 3-Benzyl-7-chloro-2-[2-methyl-1-(4-methyl-7-oxo-[1,4]diazepan-1-yl)-propyl]-3H-quinazolin-4-one;
- 3-benzyl-7-chloro-2-[ (R)-2-methyl-1-(7-oxo-[1,4]diazepan-1-yl)-propyl]-3H-quinazolin-4-one:
- 2-[1-(Acetyl-7-oxo-[1,4]diazepan-1-yl)-2-methyl-propyl]-3-benzyl-7-chloro-3H-quinazolin-4-one;
- 3-Benzyl-7-chloro-2-[1-(3,3-dimethyl-7-oxo-[1,4]diazepan-1-yl)-2-methyl-propyl]-3H-quinazolin-4-one;
- 3-Benzyl- -2-[1-(4-benzyl-7-oxo-[1,4]diazepan-1-yl)-2-methyl-propyl]- 7-chloro -3H-quinazolin-4-one;
- 3-Benzyl-7-chloro-2-[1-(7-oxo-[1,4]diazepan-1-yl)-propyl]-3*H*-quinazolin-4-one; and 3-Benzyl-7-chloro-2-[1-(6,6-dimethyl-7-oxo-[1,4]diazepan-1-yl)-2-methyl-propyl]-3*H*-quinazolin-4-one;
- or a pharmaceutically acceptable derivative or solvatesalt thereof.

### 25, 26 (Canceled)

- 27. (Currently amended) A composition comprising a pharmaceutically acceptable excipient and a compound <u>or salt according</u> to Claim 2.
- 28. (Currently amended) A composition according to claim 27, wherein said composition further comprises a taxane, a vinca alkaloid, or a topoisomerase I inhibitor an anti-cancer agent selected from taxanes, vinca alkaloids, and topoisomerase I inhibitors.

## 29. (Canceled)

- 30. (Currently amended) A method of inhibiting KSP which comprises contacting said kinesin with an effective amount of the- a compound or salt according to Claim 2.
- 31-34 (Canceled)
- 35. (Currently amended) A compound or salt according to claim 6 wherein:

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> are each independently selected from H and halogen;

R<sup>5'</sup> is H and R<sup>5</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl;

R<sup>6</sup> is optionally substituted phenyl-C<sub>1</sub>-C<sub>4</sub> alkyl-;

 $R^9$  and  $R^{9'}$  are each H, and  $R^7$  and  $R^{7'}$  or  $R^8$  and  $R^{8'}$  are each independently H or  $C_1$ - $C_4$  alkyl; and

X is  $C(R^{10})(R^{11})$ , wherein  $R^{10}$  and  $R^{11}$  are each <u>independently</u> H or  $C_1$ - $C_4$  alkyl, and Y is  $N(R^{12})$ , where  $R^{12}$  is H,  $C_1$ - $C_4$  alkyl, aralkyl, heteroaralkyl,  $C_1$ - $C_6$  alkylcarbonyl, arylcarbonyl, or heteroarylcarbonyl.

36. (Currently amended) A compound or salt according to claim 35 wherein:

R<sup>1</sup>, R<sup>2</sup> and R<sup>4</sup> are each H and R<sup>3</sup> is halogen;

R<sup>5'</sup> is H and R<sup>5</sup> is ethyl, cyclopropyl, iso-propyl or t-butyl;

R<sup>6</sup> is optionally substituted benzyl; and

X is  $CH_2$ , and Y is  $N(R^{12})$ , where  $R^{12}$  is H, methyl, benzyl or acetyl (-C(O)methyl).

37. (Currently amended) A compound or salt according to Claim 1 wherein:

 $R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  are each independently selected from H, halogen, cyano, optionally substituted  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  haloalkyl, optionally substituted  $C_1$ - $C_4$  alkoxy, and  $C_1$ - $C_4$  haloalkoxy;

R<sup>5</sup> and R<sup>5</sup> are each independently selected from H and C₁-C₄ alkyl;

 $R^6$  is optionally substituted  $C_1$ - $C_8$  alkyl, optionally substituted aryl- $C_1$ - $C_4$  alkyl- or optionally substituted heteroaryl- $C_1$ - $C_4$  alkyl;

 $R^7$ ,  $R^{7'}$ ,  $R^8$ ,  $R^{8'}$ ,  $R^9$  and  $R^{9'}$  are each independently selected from H and C<sub>1</sub>-C<sub>4</sub> alkyl; and

one of X or Y is  $C(R^{10})(R^{11})$ , wherein  $R^{10}$  and  $R^{11}$  are each independently selected from H or and  $C_1$ - $C_4$  alkyl, and the other of X or Y is  $N(R^{12})$ , where: and

 $R^{12}$  is H,  $C_1$ - $C_4$  alkyl, optionally substituted aralkyl, optionally substituted heteroaralkyl,  $C_1$ - $C_6$  alkylcarbonyl, optionally substituted aralkylcarbonyl, optionally substituted heteroarylcarbonyl, optionally substituted heteroaralkylcarbonyl,  $C_1$ - $C_6$  alkoxycarbonyl, optionally substituted aryloxycarbonyl, optionally substituted aralkyloxycarbonyl, optionally substituted aralkyloxycarbonyl[[,]] or optionally substituted heteroaralkyloxycarbonyl, where the optionally substituted aryl or heteroaryl groups or moieties are unsubstituted or substituted with one or more substituents selected from  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  haloalkyl,  $C_1$ -

 $C_4$  alkoxy,  $C_1$ - $C_4$  haloalkoxy, amino,  $C_1$ - $C_4$  alkylamino, di- $C_1$ - $C_4$  alkylamino, carboxy,  $C_1$ - $C_4$  alkylcarbonyloxy,  $C_1$ - $C_4$  alkoxycarbonyl, carboxamido,  $C_1$ - $C_4$  alkylaminocarbonyl, di- $C_1$ - $C_4$  alkylaminocarbonyl, cyano,  $C_1$ - $C_4$  alkylcarbonyl, halogen, hydroxyl, mercapto and nitro.

38. (Currently amended) A compound or salt according to claim 37 wherein:

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> are each independently selected from H and halogen;

R<sup>5'</sup> is H and R<sup>5</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl;

R<sup>6</sup> is optionally substituted phenyl-C<sub>1</sub>-C<sub>4</sub> alkyl-;

 $R^9$  and  $R^{9'}$  are each H, and  $R^7$  and  $R^{7'}$  or  $R^8$  and  $R^{8'}$  are each independently H or  $C_1$ - $C_4$  alkyl; and

X is  $C(R^{10})(R^{11})$ , wherein  $R^{10}$  and  $R^{11}$  are each <u>independently</u> H or  $C_1$ - $C_4$  alkyl, and Y is  $N(R^{12})$ , where  $R^{12}$  is H,  $C_1$ - $C_4$  alkyl, aralkyl, heteroaralkyl,  $C_1$ - $C_6$  alkylcarbonyl, arylcarbonyl, or heteroarylcarbonyl.

39. (Currently amended) A compound or salt according to claim 38 wherein:

R<sup>1</sup>, R<sup>2</sup> and R<sup>4</sup> are each H and R<sup>3</sup> is halogen;

R<sup>5'</sup> is H and R<sup>5</sup> is ethyl, cyclopropyl, iso-propyl or t-butyl;

R<sup>6</sup> is optionally substituted benzyl; and

X is  $CH_2$ , and Y is  $N(R^{12})$ , where  $R^{12}$  is H, methyl, benzyl or acetyl (-C(O)methyl).